

Safety Data Sheet  
INTERGARD 822 RED PART A

Bulk Sales Reference No.: EAA200  
SDS Revision Date: 01/15/2019  
SDS Revision Number: N2-5



1. Identification of the preparation and company

1.1. Product identifier

Product Identity INTERGARD 822 RED PART A  
Bulk Sales Reference No. EAA200

1.2. Relevant identified uses of the substance or mixture and uses advised against  
Intended Use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name International Paint LLC  
Manufacturer:  
Akzo Nobel Coatings  
International Paint  
6001 Antoine Drive  
Houston, Texas 77091

Emergency  
CHEMTREC (800) 424-9300  
International Paint (713) 682-1711  
Poison Control Center (800) 854-6813  
Customer Service  
International Paint (800) 589-1267  
Fax No. (800) 631-7481

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.  
Eye Irrit. 2;H319 Causes serious eye irritation.  
Skin Sens. 1;H317 May cause an allergic skin reaction.  
Aquatic Chronic 2;H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.



Warning.

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

## EAA200\_N2

- P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves / eye protection / face protection.  
 P302+352 IF ON SKIN: Wash with soap and water.  
 P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.  
 P333+313 If skin irritation or a rash occurs: Get medical advice/attention.  
 P337 If eye irritation persists:.  
 P362 Take off contaminated clothing and wash before reuse.  
 P363 Wash contaminated clothing before reuse.  
 P391 Collect spillage.  
 P501 Dispose of contents / container in accordance with local / national regulations.

HMIS Rating            Health: 2            Flammability: 1            Reactivity: 0

|   |
|---|
| 3. Composition/information on ingredients |
|---|

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations                                  | Weight % | GHS Classification   | Notes  |
|---|----------|--|--------|
| Bisphenol A - Epichlorohydrin polymer<br>CAS Number: 0025068-38-6 | 50 - 75  | Eye Irrit. 2;H319<br>Skin Irrit. 2;H315<br>Skin Sens. 1;H317<br>Aquatic Chronic 2;H411 | [1]    |
| Alkyl(C12-C14)glycidyl ether<br>CAS Number: 0068609-97-2          | 10 - 25  | Skin Irrit. 2;H315<br>Skin Sens. 1;H317  | [1]    |
| Amorphous fumed silica<br>CAS Number: 0112945-52-5                | 1.0 - 10 | Combustible Dust<br>Skin Irrit. 2;H315<br>Eye Irrit. 2;H319<br>STOT SE 3;H335          | [1]    |
| Iron oxide<br>CAS Number: 0001309-37-1                            | 1.0 - 10 | Not Classified   | [1][2] |
| Water<br>CAS Number: 0007732-18-5                                 | 1.0 - 10 | Not Classified   | [1]    |
| Ethanol<br>CAS Number: 0000064-17-5                               | 1.0 - 10 | Flam. Liq. 2;H225<br>Eye Irrit. 2;H319 (@ > 50%)                                       | [1][2] |

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

|                       |
|-----------------------|
| 4. First aid measures |
|-----------------------|

#### 4.1. Description of first aid measures

- |            |   |
|------------|---|
| General    | Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.  |
| Inhalation | If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.  |
| Eyes       | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.   |
| Skin       | In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.  |
| Ingestion  | If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person. |

#### 4.2. Most important symptoms and effects, both acute and delayed

- Overview            NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be

## EAA200\_N2

|                 |   |
|-----------------|---|
|                 | harmful or fatal. Avoid contact with eyes, skin and clothing.   |
| Inhalation      | Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea. |
| Eyes            | Causes severe eye irritation. Avoid contact with eyes.  |
| Skin            | Causes skin irritation. May be harmful if absorbed through the skin.  |
| Ingestion       | Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.  |
| Chronic effects |   |

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

SMALL FIRES: Use dry chemical, CO<sub>2</sub>, water spray or foam. LARGE FIRES: Use water spray, fog, or foam. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material.

#### 5.2. Special hazards arising from the substance or mixture

No data available

#### 5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses.

ERG Guide No. 159

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. LARGE SPILLS: Dike far ahead of liquid spill to contain released material and runoff from fire control.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

#### 6.3. Methods and material for containment and cleaning up

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

##### Handling

Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.

##### In Storage

Keep away from heat, sparks and flame.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store between 40-100F (4-38C).

Avoid contact with eyes, skin and clothing.

No data available

Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone.

#### 7.3. Specific end use(s)

Close container after each use.

Wash thoroughly after handling.

Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.

## EAA200\_N2

## 8. Exposure controls and personal protection

## 8.1. Control parameters

## Exposure

| CAS No.      | Ingredient                            | Source    | Value   |
|--------------|---------------------------------------|-----------|---|
| 0000064-17-5 | Ethanol                               | OSHA      | 1000 ppm TWA; 1900 mg/m3 TWA  |
|              |                                       | ACGIH     | 1000 ppm STEL   |
|              |                                       | NIOSH     | 1000 ppm TWA; 1900 mg/m3 TWA3300 ppm IDLH (10% LEL)   |
|              |                                       | Supplier  | No Established Limit  |
|              |                                       | OHSA, CAN | 1000 ppm STEL   |
|              |                                       | Mexico    | 1000 ppm STEL [PPT-CT]  |
|              |                                       | Brazil    | 780 ppm TWA LT; 1480 mg/m3 TWA LT   |
| 0001309-37-1 | Iron oxide                            | OSHA      | 10 mg/m3 TWA (fume); 15 mg/m3 TWA (total dust, listed under Rouge); 5 mg/m3 TWA (respirable fra |
|              |                                       | ACGIH     | 5 mg/m3 TWA (respirable particulate matter)   |
|              |                                       | NIOSH     | 5 mg/m3 TWA (dust and fume, as Fe)2500 mg/m3 IDLH (dust and fume, as Fe)                        |
|              |                                       | Supplier  | No Established Limit  |
|              |                                       | OHSA, CAN | 5 mg/m3 TWA (respirable)  |
|              |                                       | Mexico    | 5 mg/m3 TWA VLE-PPT (respirable fraction)   |
|              |                                       | Brazil    | No Established Limit  |
| 0007732-18-5 | Water                                 | OSHA      | No Established Limit  |
|              |                                       | ACGIH     | No Established Limit  |
|              |                                       | NIOSH     | No Established Limit  |
|              |                                       | Supplier  | No Established Limit  |
|              |                                       | OHSA, CAN | No Established Limit  |
|              |                                       | Mexico    | No Established Limit  |
|              |                                       | Brazil    | No Established Limit  |
| 0025068-38-6 | Bisphenol A - Epichlorohydrin polymer | OSHA      | No Established Limit  |
|              |                                       | ACGIH     | No Established Limit  |
|              |                                       | NIOSH     | No Established Limit  |
|              |                                       | Supplier  | No Established Limit  |
|              |                                       | OHSA, CAN | No Established Limit  |
|              |                                       | Mexico    | No Established Limit  |
|              |                                       | Brazil    | No Established Limit  |
| 0068609-97-2 | Alkyl(C12-C14)glycidyl ether          | OSHA      | No Established Limit  |
|              |                                       | ACGIH     | No Established Limit  |
|              |                                       | NIOSH     | No Established Limit  |
|              |                                       | Supplier  | No Established Limit  |
|              |                                       | OHSA, CAN | No Established Limit  |
|              |                                       | Mexico    | No Established Limit  |
|              |                                       | Brazil    | No Established Limit  |
| 0112945-52-5 | Amorphous fumed silica                | OSHA      | No Established Limit  |
|              |                                       | ACGIH     | No Established Limit  |
|              |                                       | NIOSH     | No Established Limit  |
|              |                                       | Supplier  | No Established Limit  |
|              |                                       | OHSA, CAN | No Established Limit  |
|              |                                       | Mexico    | No Established Limit  |
|              |                                       | Brazil    | No Established Limit  |

EAA200\_N2

Health Data

| CAS No.      | Ingredient                            | Source | Value                                  |
|--------------|---------------------------------------|--------|--|
| 0000064-17-5 | Ethanol                               | NIOSH  | Eye respiratory                        |
| 0001309-37-1 | Iron oxide                            | NIOSH  | Benign pneumoconiosis termed siderosis |
| 0007732-18-5 | Water                                 | NIOSH  | No Established Limit                   |
| 0025068-38-6 | Bisphenol A - Epichlorohydrin polymer | NIOSH  | No Established Limit                   |
| 0068609-97-2 | Alkyl(C12-C14)glycidyl ether          | NIOSH  | No Established Limit                   |
| 0112945-52-5 | Amorphous fumed silica                | NIOSH  | No Established Limit                   |

Carcinogen Data

| CAS No.      | Ingredient                            | Source | Value   |
|--------------|---------------------------------------|--------|---|
| 0000064-17-5 | Ethanol                               | OSHA   | Select Carcinogen: Yes  |
|              |                                       | NTP    | Known: No; Suspected: No  |
|              |                                       | IARC   | Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0001309-37-1 | Iron oxide                            | OSHA   | Select Carcinogen: No   |
|              |                                       | NTP    | Known: No; Suspected: No  |
|              |                                       | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No; |
| 0007732-18-5 | Water                                 | OSHA   | Select Carcinogen: No   |
|              |                                       | NTP    | Known: No; Suspected: No  |
|              |                                       | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 0025068-38-6 | Bisphenol A - Epichlorohydrin polymer | OSHA   | Select Carcinogen: No   |
|              |                                       | NTP    | Known: No; Suspected: No  |
|              |                                       | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 0068609-97-2 | Alkyl(C12-C14)glycidyl ether          | OSHA   | Select Carcinogen: No   |
|              |                                       | NTP    | Known: No; Suspected: No  |
|              |                                       | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;  |
| 0112945-52-5 | Amorphous fumed silica                | OSHA   | Select Carcinogen: No   |
|              |                                       | NTP    | Known: No; Suspected: No  |
|              |                                       | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No; |

8.2. Exposure controls

|                      |   |
|----------------------|---|
| Respiratory          | Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet. |
| Eyes                 | Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.  |
| Skin                 | Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.   |
| Engineering Controls | Depending on the site-specific conditions of use, provide adequate ventilation.   |
| Other Work Practices | Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled  |

## EAA200\_N2

clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

|                                     |
|-------------------------------------|
| 9. Physical and chemical properties |
|-------------------------------------|

|   |  |
|---|--|
| Appearance                                      | Coloured Liquid  |
| Odor threshold                                  | Not Measured   |
| pH  | No Established Limit   |
| Melting point / freezing point                  | Not Measured   |
| Initial boiling point and boiling range         | 218 (°C) 425 (°F)  |
| Flash Point                                     | 154 (°C) 310 (°F)  |
| Evaporation rate (Ether = 1)                    | Not Measured   |
| Flammability (solid, gas)                       | Not Applicable   |
| Upper/lower flammability or explosive limits    | Lower Explosive Limit: No Established Limit<br>Upper Explosive Limit: No Established Limit |
| vapor pressure (Pa)                             | Not Measured   |
| Vapor Density                                   | Heavier than air   |
| Specific Gravity                                | 1.21   |
| Solubility in Water                             | Not Measured   |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured   |
| Auto-ignition temperature                       | Not Measured   |
| Decomposition temperature                       | Not Measured   |
| Viscosity (cSt)                                 | No Established Limit Not Measured  |
| VOC %   | Refer to the Technical Data Sheet or label where information is available.                 |

|                              |
|------------------------------|
| 10. Stability and reactivity |
|------------------------------|

10.1. Reactivity

No data available

10.2. Chemical stability

This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

|                               |
|-------------------------------|
| 11. Toxicological information |
|-------------------------------|

Acute toxicity

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

| Ingredient   | Oral LD50, mg/kg             | Skin LD50, mg/kg                 | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr |
|--|------------------------------|----------------------------------|---------------------------------|-------------------------------------|
| Bisphenol A - Epichlorohydrin polymer - (25068-38-6) | 5,001.00, Rat - Category: NA | 20,000.00, Rabbit - Category: NA | No data available               | No data available                   |
| Alkyl(C12-C14)glycidyl ether -                       | No data                      | No data                          | No data                         | No data available                   |

## EAA200\_N2

|  |                               |                                  |                            |                   |
|--|-------------------------------|----------------------------------|----------------------------|-------------------|
| (68609-97-2)                           | available                     | available                        | available                  |                   |
| Amorphous fumed silica - (112945-52-5) | 3,160.00, Rat - Category: 5   | No data available                | No data available          | No data available |
| Iron oxide - (1309-37-1)               | 5,001.00, Rat - Category: NA  | No data available                | No data available          | No data available |
| Water - (7732-18-5)                    | 90,000.00, Rat - Category: NA | No data available                | No data available          | No data available |
| Ethanol - (64-17-5)                    | 10,470.00, Rat - Category: NA | 20,000.00, Rabbit - Category: NA | 124.70, Rat - Category: NA | No data available |

| Item  | Category       | Hazard                               |
|---|----------------|--------------------------------------|
| Acute Toxicity (mouth)                                      | Not Classified | Not Applicable                       |
| Acute Toxicity (skin)                                       | Not Classified | Not Applicable                       |
| Acute Toxicity (inhalation)                                 | Not Classified | Not Applicable                       |
| Skin corrosion/irritation                                   | 2              | Causes skin irritation.              |
| Eye damage/irritation                                       | 2              | Causes serious eye irritation.       |
| Sensitization (respiratory)                                 | Not Classified | Not Applicable                       |
| Sensitization (skin)  | 1              | May cause an allergic skin reaction. |
| Germ toxicity   | Not Classified | Not Applicable                       |
| Carcinogenicity   | Not Classified | Not Applicable                       |
| Reproductive Toxicity                                       | Not Classified | Not Applicable                       |
| Specific target organ systemic toxicity (single exposure)   | Not Classified | Not Applicable                       |
| Specific target organ systemic Toxicity (repeated exposure) | Not Classified | Not Applicable                       |
| Aspiration hazard   | Not Classified | Not Applicable                       |

### 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### Aquatic Ecotoxicity

| Ingredient   | 96 hr LC50 fish, mg/l      | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l            |
|--|----------------------------|----------------------------|------------------------------|
| Bisphenol A - Epichlorohydrin polymer - (25068-38-6) | 3.10, Pimephales promelas  | 1.40, Daphnia magna        | Not Available                |
| Alkyl(C12-C14)glycidyl ether - (68609-97-2)          | Not Available              | Not Available              | Not Available                |
| Amorphous fumed silica - (112945-52-5)               | Not Available              | Not Available              | Not Available                |
| Iron oxide - (1309-37-1)                             | Not Available              | 101.00, Daphnia magna      | Not Available                |
| Water - (7732-18-5)                                  | Not Available              | Not Available              | Not Available                |
| Ethanol - (64-17-5)                                  | 42.00, Oncorhynchus mykiss | 2.00, Daphnia magna        | 17.921 (96 hr), Ulva pertusa |

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

## EAA200\_N2

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Do not allow spills to enter drains or watercourses.

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

## 14. Transport information

14.1. UN number Not Regulated

14.2. UN proper shipping name Not Regulated

14.3. Transport hazard class(es)

| DOT (Domestic Surface Transportation) |                            | IMO / IMDG (Ocean Transportation) |                              |
|---------------------------------------|----------------------------|-----------------------------------|------------------------------|
| Proper Shipping Name                  | Not Regulated              | IMDG Proper Shipping Name         | Not Regulated                |
| Hazard Class                          | Not Regulated              | IMDG Hazard Class Sub Class       | Not Regulated Not applicable |
| UN / NA Number                        | Not Regulated              | IMDG Packing Group                | Not Regulated                |
| Packing Group                         | Not Regulated              | System Reference Code             | 9                            |
| CERCLA/DOT RQ                         | 423793 gal. / 4273504 lbs. |                                   |                              |

14.4. Packing group Not Regulated

14.5. Environmental hazards

IMDG Marine Pollutant: Yes ( Bisphenol A - Epichlorohydrin polymer )

14.6. Special precautions for user

Not Applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

## 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

**WHMIS Classification** D2B

**DOT Marine Pollutants (10%):**  
(No Product Ingredients Listed)

**DOT Severe Marine Pollutants (1%):**  
(No Product Ingredients Listed)

**EPCRA 311/312 Chemicals and RQs (>.1%) :**  
Methanol (5000 lb final RQ; 2270 kg final RQ)

**EPCRA 302 Extremely Hazardous (>.1%) :**  
(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals (>.1%) :**  
Methanol

**Mass RTK Substances (>1%) :**  
Iron oxide  
Ethanol



Penn RTK Substances (>1%) :

- Iron oxide
- Ethanol

Penn Special Hazardous Substances (>.01%) :  
(No Product Ingredients Listed)

RCRA Status:  
(No Product Ingredients Listed)

N.J. RTK Substances (>1%) :

- Iron oxide
- Ethanol

N.J. Special Hazardous Substances (>.01%) :

- Aluminum powder (Al) (stabilized)
- Ethanol
- Isopropyl Alcohol
- Manganese compounds (as Mn)
- Methanol
- Methyl Isobutyl Ketone

N.J. Env. Hazardous Substances (>.1%) :

- Methanol

Proposition 65 - Carcinogens (>0%):

- Ethanol
- Methyl Isobutyl Ketone
- Nickel
- Cobalt compounds (as Co)

Proposition 65 - Female Repro Toxins (>0%):  
(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0%):  
(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0%):

- Ethanol
- Methanol
- Methyl Isobutyl Ketone

|                       |
|-----------------------|
| 16. Other information |
|-----------------------|

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

- H225 Highly flammable liquid and vapor.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.

The following sections have changed since the previous revision.

- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 4: First aid measures
- SECTION 5: Fire-fighting measures
- SECTION 9: Physical and chemical properties
- SECTION 10: Stability and reactivity
- SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 14: Transport information

End of Document